

# HTTP API

## Message Push

The variables to be used are:

1	<b>RESELLERURL</b>	As per Assigned by your reseller
2	username	ASSIGNED By Account Manager
3	password	Password As per set in Control panel
4	sender	Alphanumeric/Number SenderID for GSM Recipients
5	cdmasender	Number SenderID for CDMA Recipients
6	to	Number (one at a time)
7	message	Actual Message to be sent ()
8	Version Code	<b>v1.0a Current Version</b>

A sample HTTP API Call for Single Recipient would be:

```
http://RESELLERURL/API/WebSMS/Http/v1.0a/index.php?username=my_account&password=your_password&sender=mysenderid&cdmasender=mycdmasenderid&to=myrecipient&message>Hello+Test+Message
```

1	<b>RESELLERURL</b>	As per Assigned by your reseller
2	username	ASSIGNED By Account Manager
3	password	Password As per set in Control panel
4	sender	Alphanumeric/Number SenderID for GSM Recipients
5	cdmasender	Number SenderID for CDMA Recipients
6	to	Numbers separated by COMMA
7	message	Actual Message to be sent ()
8	Version Code	<b>v1.0a Current Version</b>

A sample HTTP API Call for MULTIPLE Recipient would be:

```
http://RESELLERURL/API/WebSMS/Http/v1.0a/index.php?username=my_account&password=your_password&sender=mysenderid&cdmasender=mycdmasenderid&to=myrecipient&message>Hello+Test+Message
```